



ARMOR LEVEL SPECIFICATIONS TO LEVEL B6/NIJ III

EURONORM BALLISTIC STANDARD EN1063			
LEVEL	FIREARM	PROJECTILE	VELOCITY
B1	.22 Rifle LRHV	40 grain	315 m/s :: 1050 ft/s
B2	9 mm	124 grain	427 m/s :: 1400 ft/s
B3	.38 Special	158 grain	259 m/s :: 900 ft/s
B4	.357 Magnum	158 grain	425 m/s :: 1395 ft/s
	.44 Magnum	240 grain	427 m/s :: 1350 ft/s
B5	7.62 X 33 mm30 CAL	110 grain	600 m/s :: 2200 ft/s
	7.62 X 39 mm AK-47	123 grain	715 m/s :: 2400 ft/s
B6	7.62 X 51 mm M-80	149 grain	838 m/s :: 2750 ft/s
77	.308 Winchester FMJ	149 grain	838 m/s :: 2750 ft/s
	5.56 X 45 mm M-16	55 grain	919 m/s :: 3250 ft/s

Opaque Armor - Advanced Ballistic Steel and Composite Materials:

- All opaque armor to be acquired from certified, approved suppliers
- Ballistic Safety Cell with vertical and horizontal body surfaces armored using a combination of Ballistic steel and lightweight composite materials to provide protection, to desired Ballistic protection level B6
- Ballistic Safety Cell provides 360-degree protection against multiple projectiles of a linear or angled trajectory, ensuring no bullet or fragmentation will enter the vehicle's interior

Transparent Armor (Glass):

- All transparent armor provided by Tier 1 Certified and approved suppliers. The
 proper thickness will be sized based on the desired Ballistic and blast preference
 outlined in B6 Armor Level. Clad-Polycarbonate-Mylar, ceramic paint bands to
 assure adhesion with no de-lamination, anti-spall to protect against
 fragmentation, and no discoloration from UV rays.
- Ballistic steel Windshield overlap design ensures all glass stress loads evenly distributed to prevent the ballistic windshield from falling inward
- 2 piece ballistic windshield inset behind OEM windshield
- Two (2) Front door glass armored

2 glass inserts in rear doors

Floor:

• Floor is armored with a blast protection against 2 DM 51 Grenades

Fuel Tank:

- Fuel tank and floor armored to provide occupants blast protection against simultaneous detonation of (2) DM51 German hand grenade ordnance or equivalent.
- Armor removable for service ability

Firewall and Front Fender Flank Armor:

- Complete firewall protection against shots or blast fragmentation
- Firewall armored to Level B6

Battery and PCU (Computer):

• Battery and PCU fully armored and enclosed in armored compartment

Tailpipe:

Mesh tailpipe covering

Front Doors:

- Fully armored front doors
- Door straps on front doors to protect against over extension
- · Door hinges replaced and reinforced



Side Sliding Door:

- Fully armored side sliding door with ballistic light weight material
- Light weight composite material is used for easy ingress and egress

- Fully armored rear doors with light weight composite material
- Door straps on doors to protect against over extension
- Rear Door Lock Outs
- Door hinges are reinforced from the interior of the pillar and interior of doors to avoid sagging

Grab Handles:

- Interior steel grab handles for stabilization inside cabin and rear officer's area
- Exterior steel grab handles for riding on running boards
- Additional roof mounted grab/assist handles on rear of truck

Suspension & Tires

- Front and Rear Suspension professionally upgraded to compensate for additional weight of armor
- Heavy Duty Tires installed

Seats:

- Front Seats OEM
- Padded rear seats bench with storage underneath

Internal Lighting:

- (3) Red and white lights for both day and night deployment
- (2) Installed in rear compartment, evenly spaced; (1) mounted in cabin
- Dome Light master switch in cabin; Switches by side jump sliding door and rear doors

Air Conditioning Rear Compartment:

Separate air conditioning unit in rear compartment

Run Flat Inserts:

Hutchinson Run Flat Tire inserts installed in all tires including spare

Floor:

Non Slip Flooring steel painted checker plate

Emergency Lighting/System:

- Police lights (Blue/Blue) in front grill with hideaway front/rear lamps
- 100W Siren and PA System

Side Running Boards and Rear Platform:

Slide out side running boards







2 glass inserts in rear doors

Floor:

Floor is armored with a blast protection against 2 DM 51 Grenades

Fuel Tank:

- Fuel tank and floor armored to provide occupants blast protection against simultaneous detonation of (2) DM51 German hand grenade ordnance or equivalent.
- Armor removable for service ability

Firewall and Front Fender Flank Armor:

- Complete firewall protection against shots or blast fragmentation
- Firewall armored to Level B6

Battery and PCU (Computer):

Battery and PCU fully armored and enclosed in armored compartment

Tailpipe:

Mesh tailpipe covering

Front Doors:

- Fully armored front doors
- Door straps on front doors to protect against over extension
- · Door hinges replaced and reinforced



Side Sliding Door:

- Fully armored side sliding door with ballistic light weight material
- Light weight composite material is used for easy ingress and egress

Rear Deployment Doors: